

Donating while taking these drugs could have a negative effect on your health or on the health of the recipient of your blood PLEASE TELL US IF YOU:					
ARE YOU BEING TREATED WITH ANY OF THE FOLLOWING TYPES OF MEDICATIONS:	OR HAVE TAKEN:	WHICH IS ALSO CALLED:	ANYTIME IN THE LAST:		
Anti-platelet agents (usually taken to prevent stroke or heart attack)	Feldene	piroxicam	2 Days		
	Effient	prasugrel	3 Days		
	Brilinta	ticagrelor	7 Days		
	Plavix	clopidogrel	14 Days		
	Ticlid	ticlopidine			
	Zontivity	vorapaxar	1 Month		
Anticoagulants or “blood thinners” (usually taken to prevent blood clots in the legs and lungs and to prevent strokes)	Arixtra	fondaparinux	2 Days		
	Eliquis	apixaban			
	Fragmin	dalteparin			
	Lovenox	enoxaparin			
	Pradaxa	dabigatran			
	Savaysa	edoxaban			
	Xarelto	rivaroxaban	7 Days		
	Coumadin Warfilone Jantoven	warfarin			
Acne treatment	Heparin, low molecular weight heparin		1 Month		
	Accutane Amnesteem Absorica Claravis Myorisan Sotret Zenatane	isotretinoin			
	Multiple myeloma	Thalomid Revlimid		thalidomide lenalidomide	
	Rheumatoid arthritis	Rinvoq		upadacitinib	
	Hair loss remedy	Propecia		finasteride	
	Prostate symptoms	Proscar		finasteride	6 Months
		Avodart Jalyn		dutasteride	
Immunosuppressant	Cellcept	mycophenolate mofetil	6 Weeks		
Hepatitis exposure	Hepatitis B Immune Globulin		HBIG		
HIV Prevention (also known as PrEP and PEP)	Any medication taken by mouth (oral) to prevent HIV	Truvada	emtricitabine and tenofovir disoproxil fumarate	3 Months	
		Descovy	emtricitabine and tenofovir alafenamide		
	Injectable HIV prevention	Apretude	cabotegravir	2 Years	
Basal cell skin cancer	Erivedge Odomzo	vismodegib sonidegib	2 Years		
Relapsing multiple sclerosis	Aubagio	teriflunomide			
Rheumatoid Arthritis	Arava	leflunomide			
Psoriasis	Soriatane	acitretin	3 Years		
	Tegison	etretinate	Ever		
HIV treatment	Any medication to treat HIV. May also be called antiretroviral therapy (ART)				
Experimental medication			As defined by the medical director		

